



OFFICIAL LISTING

NSF International Certifies that the products appearing on this Listing conform to the requirements of NSF/ANSI Standard 61 - Drinking Water System Components - Health Effects

This is the Official Listing recorded on March 25, 2011.

Douglas Barwick Inc.
150 California Avenue
Box 756
Brockville, Ontario K6V 5W1
Canada
613-342-8471

Facility: Brockville, Ontario, Canada

Pipes and Related Products

Trade Designation	Size	Water Contact Temp	Water Contact Material
Fittings			
Douglas Barwick Stainless Steel 45° Lateral	3/4" - 96"	CLD 23	SS
Douglas Barwick Stainless Steel 45° Mitered Elbow	3/4" - 96"	CLD 23	SS
Douglas Barwick Stainless Steel 45° Smooth Elbow	3/4" - 96"	CLD 23	SS
Douglas Barwick Stainless Steel 90° Mitered Elbow Long Radius	3/4" - 96"	CLD 23	SS
Douglas Barwick Stainless Steel 90° Mitered Elbow Short Radius	3/4" - 96"	CLD 23	SS
Douglas Barwick Stainless Steel 90° Smooth Elbow Long Radius	3/4" - 96"	CLD 23	SS
Douglas Barwick Stainless Steel 90° Smooth Elbow Short Radius	3/4" - 96"	CLD 23	SS
Douglas Barwick Stainless Steel Blind Flange	3/4" - 96"	CLD 23	SS
Douglas Barwick Stainless Steel Butt Weld Angle Collar	3/4" - 96"	CLD 23	SS
Douglas Barwick Stainless Steel Concentric Reducer	3/4" - 96"	CLD 23	SS
Douglas Barwick Stainless Steel Coupling	3/4" - 96"	CLD 23	SS
Douglas Barwick Stainless Steel Cross	3/4" - 96"	CLD 23	SS
Douglas Barwick Stainless Steel Eccentric Reducer	3/4" - 96"	CLD 23	SS
Douglas Barwick Stainless Steel Ellipsoidal Cap	3/4" - 96"	CLD 23	SS
Douglas Barwick Stainless Steel Lap-Joint Flange	3/4" - 96"	CLD 23	SS
Douglas Barwick Stainless Steel Long Neck Collar	3/4" - 96"	CLD 23	SS
Douglas Barwick Stainless Steel Pressed Collar	3/4" - 96"	CLD 23	SS

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



Douglas Barwick Stainless Steel Reducing Tee	3/4" - 96"	CLD 23 SS
Douglas Barwick Stainless Steel Slip-On Flange	3/4" - 96"	CLD 23 SS
Douglas Barwick Stainless Steel Socket Welding Flange	3/4" - 96"	CLD 23 SS
Douglas Barwick Stainless Steel Stub-End Type "A"	3/4" - 96"	CLD 23 SS
Douglas Barwick Stainless Steel Stub-End Type "B"	3/4" - 96"	CLD 23 SS
Douglas Barwick Stainless Steel Tee	3/4" - 96"	CLD 23 SS
Douglas Barwick Stainless Steel Threaded (Screwed) Flange	3/4" - 96"	CLD 23 SS
Douglas Barwick Stainless Steel Welding Neck Flange	3/4" - 96"	CLD 23 SS
Douglas Barwick Stainless Steel Wye	3/4" - 96"	CLD 23 SS
Douglas Barwick Stainless Steel 45° Lateral	8" - 96"	C. HOT SS
Douglas Barwick Stainless Steel 45° Mitered Elbow	8" - 96"	C. HOT SS
Douglas Barwick Stainless Steel 45° Smooth Elbow	8" - 96"	C. HOT SS
Douglas Barwick Stainless Steel 90° Mitered Elbow Long Radius	8" - 96"	C. HOT SS
Douglas Barwick Stainless Steel 90° Mitered Elbow Short Radius	8" - 96"	C. HOT SS
Douglas Barwick Stainless Steel 90° Smooth Elbow Long Radius	8" - 96"	C. HOT SS
Douglas Barwick Stainless Steel 90° Smooth Elbow Short Radius	8" - 96"	C. HOT SS
Douglas Barwick Stainless Steel Blind Flange	8" - 96"	C. HOT SS
Douglas Barwick Stainless Steel Butt Weld Angle Collar	8" - 96"	C. HOT SS
Douglas Barwick Stainless Steel Concentric Reducer	8" - 96"	C. HOT SS
Douglas Barwick Stainless Steel Coupling	8" - 96"	C. HOT SS
Douglas Barwick Stainless Steel Cross	8" - 96"	C. HOT SS
Douglas Barwick Stainless Steel Eccentric Reducer	8" - 96"	C. HOT SS
Douglas Barwick Stainless Steel Ellipsoidal Cap	8" - 96"	C. HOT SS
Douglas Barwick Stainless Steel Lap-Joint Flange	8" - 96"	C. HOT SS
Douglas Barwick Stainless Steel Long Neck Collar	8" - 96"	C. HOT SS
Douglas Barwick Stainless Steel Pressed Collar	8" - 96"	C. HOT SS
Douglas Barwick Stainless Steel Reducing Tee	8" - 96"	C. HOT SS
Douglas Barwick Stainless Steel Slip-On Flange	8" - 96"	C. HOT SS
Douglas Barwick Stainless Steel Socket Welding Flange	8" - 96"	C. HOT SS

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



Douglas Barwick Stainless Steel Stub-End Type "A"	8" - 96"	C. HOT SS
Douglas Barwick Stainless Steel Stub-End Type "B"	8" - 96"	C. HOT SS
Douglas Barwick Stainless Steel Tee	8" - 96"	C. HOT SS
Douglas Barwick Stainless Steel Threaded (Screwed) Flange	8" - 96"	C. HOT SS
Douglas Barwick Stainless Steel Welding Neck Flange	8" - 96"	C. HOT SS
Douglas Barwick Stainless Steel Wye	8" - 96"	C. HOT SS
Pipe		
Douglas Barwick Stainless Steel Pipe	3/4" - 96"	CLD 23 SS
Douglas Barwick Stainless Steel Pipe	8" - 96"	C. HOT SS
Douglas Barwick 304/304L Stainless Steel Pipe Spools [1]	24" - 96"	C. HOT SS
Douglas Barwick 316/316L Stainless Steel Pipe Spools [1]	8" - 96"	C. HOT SS
Douglas Barwick Stainless Steel Pipe Spools [1]	3/4" - 96"	CLD 23 SS

[1] Certified for custom fabricated stainless steel 304/304L and 316/316L pipes, fittings, pipe spools, or fabricated assemblies, welded by using approved procedures for GTAW, or GTAW/GMAW, and cleaning procedures associated with ASTM A380.